UK Patent Application (19) GB (11) 2 076 422

- Application No 8112683 Date of filing 24 Apr 1981
- (22)
- Priority data (30)
- (31) 801610
- (32) 19 May 1980
- Finland (FI) Application published
- 2 Dec 1981 (51) INTCL C09K 3/30
- A61K 9/12 Domestic classification (52) C4X 11 A5B 825LX
- Documents cited GB 1429184 GB 1132583 GB 1035281
- GB 1018125 Field of search C4X
- (71) Applicants Orlon-Yhtyma Oy. PL 19, 00101 Hekinki 10. Finland
- Inventor. Paava Tapani Tanskangen
- Agents R. G. C. Jenkins & Co., Chancery House, 53/64 Chancery Lane, London, WCZA 1QU

Aerosols containing anti-inflammatory steroids

(57) A process by means of which an increase in the particle size of a micro-ground anti-inflammatory steroid in the aerosol propellent is prevented. The increase in the particle size is prevented at the suspending stage when the solubility of the steroid into the propellant is reduced by using a low temperature (5 to -40°C) and by initially mixing only a little quantity of the propellant with the steroid. If desired, the smallest and dissolved steroid particles can be removed by filtering. The particle size does not become larger even afterwards when the suspension is allowed to be stabilized for a sufficiently long time before the temperature is raised or the rest of the propellant is added.

BEST AVAILABLE COPY

SPECIFICATION

Process for the preparation of a mixture of an antiinflammatory steroid and a fluoro - chloro - hydrocarbon to be used as a propellant

The subject of the present invention is a process for the preparation of a mixture of an antiinflammatory steroid, such as beclometasone dip-10 ropionate ground into a particle size smaller than 5 μm , and of a fluoro - chloro - hydrocarbon to be used as a propellant, such as trichlorofluoromethane or dichloro - difluoromethane. The process in accordance with the invention is characterized in that the 15 detrimental increase in the particle size of the steroid is prevented by suspending the steroid at a temperature of about +5... -40℃ into a little quantity of the propellant, by stirring the mixture for at least 24 hours, and by adding the necessary quantity of the 20 propellant during or after the stirring. The mixture is stirred preferably for 1 to 3 days. Moreover, if desired, it is possible to filter the portion of the steroid that has the smallest particle size and that has been dissolved, off the mixture.

In mixtures prepared by means of the process in accordance with the invention, increase in the size of the crystals does not take place during storage either. Therefore they are suitable for use in aerosol preparations intended to be administered into the 30 respiratory canals, in which preparations the active agent must be sufficiently finely divided in order to be able to be carried right into the area of the little bronchi.

From the British Patent 1 429 184 it is known that 35 beclometasone dipropionate or some other corticosteroids which have been ground into a particle size suitable for inhalation, e.g. 2 to 5 μ m, in the fluorochlorohydrocarbons used as aerosol propellants form rather large crystals or crystal agglomerations, 40 larger than 20 μm. Particles of such a large size are not 105 by means of a conventional process.

carried deep enough into the lungs.

In the above patent publication, the observation is also stated that, when the produced large crystals are ground back into the desired smaller crystal size, 45 the crystals no longer become larger to a substantial extent. It is on this observation that the process in accordance with the said patent for the preparation of steroids of a sufficiently stable crystal size is based. According to the process, the crystals are 50 first allowed to grow freely, possibly by means of recrystallisation, whereupon they are ground, e.g., in a ball mill to the desired crystal size. It may be necessary to remove the propellant before grinding, in which case the steroid must, of course, be sus-55 pended again into the propellant after the grinding.

In the grinding of a crystalline material, a considerable part of the material may be converted into a higher-energy, amorphic state. The growth of the steroid particles in fluoro - chlorohydrocarbons will 60 be mainly due to the circumstance that the higherenergy, amorphic material tends to be dissolved and recrystallised into a lower-energy, organized stable state. The dissolution is favoured by the small size of the particles.

In a stable suspension of a steroid and a fluoro -

chlorohydrocarbon, medium has been adsorbed uniformly on the surface of the solid particles. A kind of a "solvate" has been formed which prevents a growth of the crystals via dissolution and recrystallisation (cf. Finnish Pat. 53.067).

According to the present invention, stable suspensions can be prepared without increasing the particle size so that the dissolution of the steroid is reduced essentially during the stirring step. The dissolution is reduced by working at a low temperature (about -10 to −30°C) and by first mixing the steroid into a little quantity of propellant (e.g., 1 to 10% of the whole quantity). Attempts are made to perform the moistening of the steroid as uniformly as possible in order that no concentration gradients could be formed in the mixture. After the stabilization stage propellant can be added without an increase in the particle size. If desired, dissolved steroid can be removed by filtering by means of a membrane filter, at which time, when dissolving and mixing, it is possible to work at a higher temperature (about +5 to −10°C).

The process in accordance with the invention is industrially highly usable. By its means it is possible to prepare suspensions suitable for aerosol preparations by one unit operation, stirring, without having to perform a possible dissolution and recrystallisation or grinding. Grinding is not a recommendable operation in this connection, because it -- besides increasing the work - may convert part of the material into excessively small or high-energy, amorphic particles, which may cause new growth of crystals. Moreover, too small and light particles are not recommendable even therefore that they do not set-100 the easily from the breathing air onto the surface of the lungs.

An aerosol product prepared by means of the process in accordance with the invention, described in example 1, was compared with a product prepared

The reference product was prepared as follows: 1.05 grams of micro-ground beclometasone dipropionate was suspended into 403 grams of trichloro fluoromethane at +15℃, 0.12 g of oleic acid was 110 added, and the mixture was stirred for 6 hours, the temperature being still +15℃. 4.04 grams of the suspension were dosed into a can and the can was closed by means of a dose valve. 10.36 grams of dichloro - difluoromethane was added into the can 115 by means of pressure.

The distribution of the particle size was determined out of the products immediately on preparation as well as after 1, 3, 42, and 61 days. On the basis of the distribution of the particle size, an aver-120 age particle size based on the weight was calculated for each sample.

The results of the comparative test are given in the following table.

Average particle sizel µm 3 42 125 Days after filling of can 0 1 2.2 2.4 Product as per invention 1.3 2.6 2.3 6.2 13.9 19.4 21.9 1.9 Reference product During a storage of 61 days, the particle size of the

product in accordance with the invention was not 130 increased substantially, whereas the particle size of the reference product became about 10-fold. The following examples illustrate the invention.

1.05 g beclometasone dipropionate was suspended into 40 g trichloro - fluoromethane at -25℃. The mix was stirred by means of a magnetic agitator at -25℃ for 3 days. The suspension was mixed into 362.8 g of trichloro - fluoromethane that had been cooled to +5℃, 0.12 g oleic acid was added, and the 10 mix was stirred for another 0.5 hours. 4.04 g of the suspension prepared in this way was dosed into a can, the can was closed by means of a dose valve, and through the valve, 10.36 g dichloro difluoromethane was added by means of pressure. 15 EXAMPLE 2

1.05 g beclometasone dipropionate and 4.0 g trichloro - fluoromethane were mixed at -20℃. To the mixture, trichloro - fluoromethane that had been cooled to −20°C was added as small quantities so 20 that during the first 6 hours 36.0 g were added, during the next 12 hours 160 g, and during the next 18 hours 202.8 g.

EXAMPLE 3

0.5 g beclometasone diproprionate was added to 25 dichloro - difluoromethane of −35°C (about 20 grams). The mix was stirred for 2.5 days at −25°C in a tightly sealed pressure-proof vessel by means of a magnetic agitator. The dichloro - difluoromethane was evaporated off. 200 g trichloro - fluoromethane 30 were added. The mix was stirred at the room temperature for 4 hours.

EXAMPLE 4

- 3.15 g beclometasone dipropionate was suspended at +5°C into 150 ml trichloro ·
- 35 fluoromethane, the mix was stirred for 1 hour, and 120 ml trichloro - fluoromethane was removed by fittering by means of a 0.45 μm Millipore filter, and a corresponding quantity of pure trichloro fluoromethane was added. The stirring, filtering, and
- 40 addition were repeated 3 times. After the last time stirring was continued for 36 hours, whereupon trichloro - fluoromethane was added ad 1200 g. The temperature was all the time +5℃. CLAIMS
- A process for the preparation of a mixture of an anti-inflammatory steroid, such as beclometasone dipropionate ground into a particle size smaller than 5 μm , and of a fluoro - chloro - hydrocarbon to be used as a propellant, such as trich-50 lorofluoromethane or dichloro - difluoromethane, characterized in that the detrimental increase in the particle size of the steroid is prevented by suspending the steriod at a temperature of about +5 to -40℃ into a little quantity of the propellant, by stir-55 ring the mixture for at least 24 hours, and by adding the necessary quantity of the propellant during or
- after the stirring. 2. A process as claimed in claim 1, characterized in that the mixture is stirred for 1 to 3 days and prop-60 ellant is added during or after this period.
 - 3. A process as claimed in claim 1 or 2, characterized in that the steriod is suspended into the propellant at a temperature of about -10℃ to -40℃.
- 4. A process as claimed in claim 3, characterized 65 in that the steriod is suspended into trichlorof-

luoromethane at a temperature of about -15 to

- 5. A process as claimed in claim 3, characterized in that the steriod is suspended into dichloro - difluoromethane at a temperature of about -25 to -35°C.
- 6. A process as claimed in claim 1 or 2, characterized in that the suspension is filtered during the stirring stage by means of a membrane filter of 0.2 to 75 0.5 μm.
 - 7. A process as claimed in claim 6, characterized in that the steriod is suspended into the propellant at a temperature of about +5 to −10°C.
- 8. A process as claimed in claim 7, characterized 80 in that the steriod is suspended into the propellant at a temperature of about +5 to 0℃
- 9. A process as claimed in any of claims 1 to 4, characterized in that the quantity of propellant to be used at the beginning for suspending is 1 to 10 per 85 cent by weight out of the total quantity of propellant.
 - 10. A process according to claim 1 substantially as herein described with reference to any one of the examples.

Prixtod for Her Mejesty's Stationery Office by The Twooddele Press Ltd., Barwick-upon-Tweed, 1981. Published at the Patent Office, 25 Southampton Buildings, London, WCZA 1AY, from which copies may be obtained.

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



(51) International Patent Classification 6:	A1	(11) International Publication Number: WO 98/05302
A61K 9/12		(43) International Publication Date: 12 February 1998 (12.02.98
(21) International Application Number: PCT/GB (22) International Filing Date: 3 June 1997 (c) (30) Priority Data: 9616237.5 1 August 1996 (01.08.96) (71) Applicant (for all designated States except US): Note Meadow, Harlow, Essex CM29 STJ (GB). (72) Inventor; and (73) Inventor/Applicant (for US only): MILLER, Flona (States except US): Norton Healthcare Limited, Gemini House, Flex Harlow, Essex CM29 STJ (GB). (74) Agent: PAWLYN, Anthony, Neil; Urquhart-Dykes Tower House, Merrion Way, Leeds LS2 8PA (GB)	O3.06.9 ONORTO use, Fle GB/GB Meador	BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GF, GII, HU, II., IS, JP, KE, KG, KP, KR, KZ, LC, LK, LF, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TJ, UA, UG, US, UZ, VN, YU, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAF patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published With international search report.

(57) Abstract

The replacement of chlorofluorohydrocarbon propellants in medical aerosols is of the utmost importance to the pharmaceutical industry. A number of formulations have been investigated. The present invention provides a medical aerosol formulation comprising a particular medicament, a fluorocarbon propellant and 6 to 25 % w/w of the total formulation of a polar co-solvent, such formulation being substantially free of surfactant. Cannisters suitable for delivering such a pharmaceutical formulation are also provided.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

							* -
AL.	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	Fī	Finland	LT	Lithuania	SK	Slovakia
ΑT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
ΑZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Relgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina I'aso	ĠR	Greece		Republic of Macedonia	TR	Turkey
ВG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	116	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	ltaly	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JР	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PΥ	Portugal		
CU	Cuba	K2	Kazakatan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DR	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Fistonia	LR	Liberia	SG	Singapore		



AEROSOL FORMULATIONS

This invention relates to pharmaceutical formulations for inhalation aerosols. The Montreal Protocol on ozone depleting gases has made the reformulation of existing pharmaceutical aerosols for inhalation treatment containing chlorofluorohydrocarbon propellants, a matter of urgency for the pharmaceutical industry.

A number of hydrofluorocarbons (HFCs) have been the subject to toxicological testing and two in particular P134a (1,1,1,2-tetrafluoroethane) and P227 (1,1,1,2,3,3,3-heptafluoropropane) have been identified as safe for use in pharmaceutical aerosols.

À

A number of patent applications have been submitted in this field, the first being EP 372777, which discloses the use of four component mixtures, comprising a medicament, a surfactant, P134a and a co-solvent of higher polarity than the P134a, in the form of a solution or a suspension.

As inhalation aerosols are meant for administration to the lung, it has long been accepted that such formulations should contain as few ingredients as possible, to avoid putting unnecessary materials into the lung.

Historically, despite EP 372777, solution aerosols contained only medicament, propellant or propellant mixtures and, if necessary, co-solvent, usually ethanol, eg US 2868691. The use of a surfactant was normally unnecessary for solution aerosols. However, historically medicinal suspension aerosols have contained a surfactant eg US 3014844, as it was considered that the use of a surfactant was necessary to prevent agglomeration of particles, to prevent adhesion to the sides of the canister, and to aid valve lubrication and prevent valve sticking.

However it was disclosed in EP 616525 that it is possible to prepare medicament suspensions in a hydrofluorocarbon without the need for a surfactant, if a polar co-solvent was added. The normal co-solvent ethanol, has well established

physiological actions and being a pure absorbable liquid eliminates any possibility of residues remaining in the lung. Irritation or possible toxicity from the surfactant, many of which are mixtures of similar compounds, are avoided.

EP 616525 specifically limits the polar co-solvent level to 0.01 to 5% w/w and in particular states (page 3, line 55) that the preferred level is about 0.1% w/w.

According to a first aspect of the present invention there is provided a medicinal aerosol formulation comprising a particulate medicament, a fluorocarbon propellant and 6% to 25% w/w of the total formulation of a polar co-solvent, such formulation being substantially free of surfactant.

According to a second aspect of the present invention there is provided a medicinal aerosol formulation, comprising one or more particulate medicaments, one or more fluorocarbon or hydrocarbon or aliphatic gas propellants and 6% to 25% w/w of a polar co-solvent.

According to a third aspect of the present invention there is provided a canister suitable for delivering a pharmaceutical aerosol formulation, which comprises a container capable of withstanding the vapour pressure of the propellant used, which container is closed with a metering valve and contains a pharmaceutical aerosol formulation which comprises particulate medicament, a propellant consisting all or part of fluorocarbon and 6% to 25% of a polar co-solvent, which is substantially free of surfactant.

It has now been surprisingly found that higher levels of alcohol have beneficial results. Levels of 6% or more of ethanol produce satisfactory suspensions, which do not agglomerate on standing, and on reshaking produce finely dispersed medicament. It is believed that the higher levels of alcohol reduce the degree of deposition on the inside of the can. This is a very desirable feature. In addition, the use of these larger percentages of ethanol enables a much cheaper production process.

Medicinal aerosols can be filled either with one dose of liquid containing all of the ingredients mixed together or by

a two dose process where the first dose contains the medicament and all other ingredients, including co-solvents, surfactants, if any, ancillary compounds eg flavours, if any, and some times some of the propellant followed by a second dose of pure propellant. This two dose fill has major cost advantages in that the volume of mix for a fixed number of cans is significantly smaller enabling the use of smaller mixing In particular, with the use of the new HFC propellants, which have lower boiling points than the old CFC propellants, the use of a one dose fill may involve the use of cooled pressurised vessels to prevent evaporation of the propellant gas during mixing and filling. With the new formulations with added extra co-solvent a first mix of just medicament suspended in the co-solvent can be used, followed by a second dose of pure propellant. This means that the propellant can be dosed directly from a holding tank into the can without any need to mix and store with the other ingredients. For example a mix weight of 1g of medicament and co-solvent can be followed by 7.5g of propellant. In this way the volume to be mixed is reduced from 8.5g to 1g. examples in EP 616525 are of laboratory scale, where the handling problems are much easier, but all the formulations described are such that it would not be practicable to fill in two doses without mixing the propellant, as is the case with the present disclosure.

The description of the filling method given on page 5 lines 2-13 indicates that only a one dose filling method is envisaged.

In all cases of the present invention the medicament consists of a particle size suitable for inhalation into the lung and will thus be less than 100 microns, desirably less than 20 microns and preferably in the range of 1-10 microns, normally with a mean particle size 1-5 microns.

Medicaments which may be administered in aerosol formulations according to the invention include any drug useful in inhalation therapy which may be presented in a form which is substantially completely insoluble in the selected propellant.

Appropriate medicaments may thus be selected from, for example, analgesics, eg codeine, dihydromophine, ergotamine, fentanyl or morphine; anginal preparations, eg diltiazem; antiallergics, eg cromoglycate, ketotifen or nedocromil; anti-infectives, cephalosporins, penicillins, streptomycin, sulphonamides. tetracyclines and pentamidine; antihistamines. methapyrilene; anti-inflammatories, eq beclomethasone. flunisolide, budesonide, tipredane, triamcinolone acetonide or fluticasone; antitussives, eg noscapine; bronchodilators, eg ephedrine, adrenaline, fenoterol, formoterol, isoprenaline, metaproterenol, phenylephrine, phenylpropanolamine, pirbuterol, reproterol, rimiterol, salbutamol, salmeterol, terbutaline, isoetharine, tolubuterol, orciprenaline; diuretics, amiloride; anticholinergics, eg ipratropium, atropine or oxitropium; hormones, cortisone, eg hydrocortisone or prednisolone; xanthines, eg aminophylline, theophyllinate, lysine theophyllinate or theophylline; and therapeutic proteins and peptides, eg insulin or glucagon. It will be clear to a person skilled in the art that, where appropriate, the medicaments may be used in the form of salts (eg as alkali metal or amine salts or as acid addition salts) or as esters (eg lower alkyl esters) or as solvates (eg hydrates) to optimise the activity and/or stability of the medicament and/or to minimise the solubility of the medicament in the propellant.

Preferred are those compounds which are also substantially insoluble in the co-solvent. Particularly preferred as medicament is salbutamol either as base or as a salt and especially salbutamol sulphate.

Co-solvents may be selected from polar alcohols and polyols, particularly C_2 - C_6 aliphatic alcohols and polyols, such as propylene glycol, and preferably ethanol. Levels of co-solvent will be between 6% and 25% w/w of the total canister content, preferably between 10-15% w/w of canister content.

The propellant may be a hydrofluorocarbon, particularly P134a or P227. Other hydrofluorocarbons or hydrocarbons or aliphatic gases (eg Dimethylether) may be added to modify the

propellant characteristics as required.

The product is preferentially produced by weighing the active medicament and suspending it in the co-solvent. The appropriate amount of suspension is then dosed into the can, followed by a second dose of propellant or propellant mix. However, a one shot fill or any other equivalent method may be employed.

The normal medicinal product on the market has an actuator with spray orifice diameter of about 480 microns. However, with the larger percentages of ethanol envisaged in this invention, it is desirable that the co-solvent evaporates from the particles as rapidly as possible.

This is achieved by reducing the aperture to between 100-300 microns, which for the same dosage or drug, gives more rapid evaporation of the co-solvent. A particularly preferred embodiment of the invention is a combination of a level 10-15% co-solvent (normally ethanol) with a stem aperture of 150-250 microns.

The invention is further described by means of example but not in any limitative sense.

Example

Salbutamol Sulphate	0.03g
Ethanol	0.97g
Tetrafluoroethane (P134a)	7.5a

The salbutamol sulphate previously micronised to give over 90% of particles below 10 microns was weighed out and added to the ethanol. The suspension was mixed until is was smooth and uniform and then filled into the aerosol canister. The metering valve assembly was crimped (preferably vacuum crimped) on the canister and then the P134a was filled through the valve. The valve capacity is such as to deliver 100 micrograms of salbutamol, as salbutamol sulphate per actuation.

A particularly preferred use of such a canister is in a patient breath operated device rather than the normal hand

-6-

operated device. Such devices are available commercially such as those under the trade mark "Easi-Breathe".

PCT/GB97/01502

Claims:

- 1. A medicinal aerosol formulation comprising a particulate medicament, a fluorocarbon propellant and 6% to 25% w/w of the total formulation of a polar co-solvent, such formulation being substantially free of surfactant.
- 2. A medicinal aerosol formulation, comprising one or more particulate medicaments, one or more fluorocarbon or hydrocarbon or aliphatic gas propellants and 6% to 25% w/w of a polar co-solvent.
- 3. A formulation as claimed in claim 1 or claim 2, wherein the medicament is an anti-allergic, a bronchodilator or an anti-inflammatory steroid.
- 4. A formulation as claimed in claim 3, where the medicament is ephedrine, adrenaline, fenoterol, formoterol, isoprenaline, metaproterenol, phenylephrine, phenylpropandamine, pirbuterol, reproterol, rimiterol terbutaline, isoetharine, orciprenaline, salbutamol, salmeterol, sodium cromoglycate, fluticasone, beclomethasone or similar molecule and any physiologically acceptable salt, solvate or ester of such compound.
- 5. A formulation, as claimed in claims 1-3, where the medicament is a salt of salbutamol.
- 6. A formulation, as claimed in claims 1-3, where the medicament is a salt of formoterol (sometimes called eformoterol).
- 7. A formulation according to any of claims 1 to 5, wherein the propellant is 1,1,1,2-tetrafluoroethane or 1,1,1,2,3,3,3-heptafluoro-n-propane.
 - 8. A formulation according to any of claims 1 to 5,

-8-

where the co-solvent level is 10-15%.

- 9. A formulation according to any of claims 1-5, wherein the polar co-solvent is ethanol.
- 10. A canister suitable for delivering a pharmaceutical aerosol formulation, which comprises a container capable of withstanding the vapour pressure of the propellant used, which container is closed with a metering valve and contains a pharmaceutical aerosol formulation which comprises particulate medicament, a propellant consisting all or part of fluorocarbon and 6% to 25% of a polar co-solvent, which is substantially free of surfactant.
- 11. A canister according to claim 9, fitted into an adaptor with an aperture of 100-300 microns.
- 12. A product according to claims 9 and 10 where the medicament is as per claim 4.
- 13. A product according to claims 9-11, where the medicament is a salt of salbutamol.
- 14. A product according to claims 9-11, where the medicament is a salt of formoterol.
- 15. A canister according to claims 9 and 10, which is actuated by a breath operated device.
- 16. A product according to claim 15, where the medicament is a salt of salbutamol.
- 17. A product according to claim 15, where the medicament is a salt of formoterol.

Intern 11 Application No. PCT/GB 97/01502

A. CLASSIFICATION OF SUBJECT MATTER				
Α	61 K 9/12			
Acenediaa	o International Patent Classification (IPC) or to both national classification			
		Elication and IPC		
	SEARCHED ocumentation searched (classification system followed by classific	ation a shots		
	61 K	auon symbols)		
Λ.	01 K			
Documentat	uon searched other than minimum documentation to the extent the	at such documents are included in the fields so	arched	
Electronic d	ata base consulted during the international search (name of data t	use and, where practical, search terms used)		
	•			
	•			
	·			
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT	The state of the s		
Category *	Citation of document, with indication, where appropriate, of the	relevant passages	Relevant to claim No.	
λ	WO, A, 93/11 745		1-5,	
	(GLAXO GROUP LIMITED)	7-10	
ì	24 June 1993 (24.06.			
	abstract; claims 1-1			
A	WO, A, 93/11 743	1	1-5,	
	(GLAXO GROUP LIMITED)	7-10	
	24 June 1993 (24.06.	93),		
-	abstract; claims 1-21.			
ŀ				
A	WO, A, 94/03 153		1-5,	
	(GLAXO GROUP LIMITED	-	7-10	
	17 February 1994 (17			
	abstract; claims 1-1	2.		
,			1_5	
A	WO, A, 94/13 262 (JAGER et al.) 23 Ju	no 1004	1-5, 7-9	
	(23.06.94),	ine 1994	7-3	
	abstract; claims 1-3	ıα		
		,		
		<u> </u>		
X Furt	her documents are fisted in the continuation of box C.	Patent family members are listed i	n annex.	
* Special ca	legories of cited documents :	"T" later document published after the inte	mational filing date	
'A' docum	ent defining the general state of the art which is not	or prightly date and not in conflict Wi	th the application but	
considered to be of particular relevance invention				
ming o		"X" document of particular relevance; the cannot be considered novel of cannot	pe coustacted to	
"L" document which may throw doubts on priority claim(s) or involve an inventive step when the document is taken alone			cument is taken alone	
clation or other special reason (as specified) cannot be considered to involve an inventive step when the				
'O' document referring to an oral disclosure, use, exhibition or document is combined with one or more other such documents, such combination being obvious to a person skilled				
'P' document published prior to the international filing date but later than the priority date claimed "a" document member of the same patent family				
	actual completion of the international search	Date of mailing of the international se	arch report	
1 03 Sentember 1997			•	
		2 6. 09. 97		
Name and r	nailing address of the ISA	Authorized officer		
	European Palent Office, P.D. 5818 Patentiaan 2 NL - 2280 HV Ripswijk	Colmann .		
	Tel. (+31-70) 340-2040, Tx. 31 651 cpo nl. Face (+31-70) 340-3016	SCHNASS e.h.		

INTERNATIONAL SEARCH REPORT

-2-

International Application No PCT/GB 97/01502

	n) DOCUMENTS CONSIDERED TO BE RELEVANT itation of document, with undication, where appropriate, of the relevant pastages	Relevant to claim No.
	where appropriate, or the relevant passages	recent to dain No.
	especially claim 4.	
	•	
	·	
	•	
	·	
İ	•	
1		
	·	
		į .

Form PCT/ISA/210 (continuation of record sheet) (July 1992)

ANHANG

AZZINEX

ANNEXE

zum internationalen Recherchen-bericht über die internationale Patentanmeldung Nr.

to the International Search Report to the International Patent Application No.

au rapport de recherche inter-national relatif à la demande de brevet international n°

PCT/GB 97/01502 SAE 162218

In diesem Anhang sind die Mitglieder der Patentfamilien der im oberige nannten internationalen Recherchenbericht cited in the above mentioned internangsführten Patentdokusente angegeben. Diese Angaben dienen nur zur Uniterrichtung und erfolgen ohne Semähr.

This Annex lists the patent family meebers relating to the patent documents cited in the above mentioned international search report. The Office is in on way lightle for these particulars which are given merely for the purpose of information.

La presente annaxe indique les membres de la famille de brevets relatifs aux documents de brevets cités dans le rapport de recherche international visée ci-dessus. Les reseignements fournis sont donnés à titre indicatif et n'engagent pas la responsibilité de l'Office.

Patent in sea Document	erchenbericht s Fatentdokwent docusent cited rch report de brevet cité pport de recherche	Datum der Veröffentlichung Publication date Date do publication	Nitolied(er) der Patentfamile Patent family member(s) Hemre(s) de la famille de brevets	Datum der Veröffentlichung Aublication date Date de publication	
WO A1	9311745		1207(1241) d) 389 C) 77 77 73 41 10 10 10 10 10 10 10 10 10 10 10 10 10	Particle	
WO AI	9311743	24-06-93	12002224556789077377345101880244577990000773777345101880244577998000414141151517900001141411151579000011414111515790000114141115157900001141411415151790000114141141515179000000000000000000000000000000000	NSD N	

		C4+1-18-134515-64-44-19-45-19-14-48-42-64-44-97-14-14-14-17-14-14-14-17-14-14-14-14-14-14-14-14-14-14-14-14-14-	45555355544554577733524435 9979999999999999999999999999999999999
WO A1 9403153	17-02-94	AU B2 706164 7036844364 2016475644364 EP A1 77534884 EP A1 77574387 GB ACC 7521634751 GB ACC 7521634751 GB ACC 7521634751	25-07-96 07-01-97 29-04-95 21-06-95 16-09-97 16-09-92 19-10-95 16-09-92 23-02-94
WD 41 9413262	23-06-94	7 4470500022988356-19928357 19924444077650014697969 1702744288699607497693749 1700752118807061557059 1990752118807061557059 1990752118807061557059 1990752118807061557059 1990752118807061557059 199075291880706159059 19907545 19907555 19907555 19907555 19907555 19907555 19907555 199075 199075 1990	44744593555754666557575747 999999999999999999999999999999

n Najajar

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.